

PCT

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference FOR FURTHER ACTION See Notification of Transmittal or Preliminary Examination Report		n of Transmittal of International camination Report (Form PCT/IPEA/416)				
11496/9-1052	9-1052					
International application No.	International filing date (cary/me	mara year,				
PCT/US99/07514	06 April 1999 (06.04.1999)		06 April 1998 (06.04.1998)			
International Patent Classification (IPC) or national classification and IPC						
IPC(7): A61K 38/00, 38/04; C07K 5/00) and US CI: 514/16,17; 530/329,	330				
Applicant						
ADVANCED IMMUNIT, INC.						
1 This international prelimir Examining Authority and	nary examination report has be is transmitted to the applicant :	according to Art	icic 30.			
2. This REPORT consists of	a total of sheets, including	g this cover shee	t.			
This report is also accompanied by ANNEXES, i.e., sheets of the description, claims and/or drawings which have been amended and are the basis for this report and/or sheets containing rectifications made before this Authority (see Rule 70.16 and Section 607 of the Administrative Instructions under the PCT). These annexes consist of a total of sheets.						
	ations relating to the following	items:				
3. This report contains indicate	ations relating to the rono amp	, •••				
Basis of the report						
II Priority						
III Non-establishm	nent of report with regard to no	ovelty, inventive	step and industrial applicability			
IV Lack of unity of						
Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement						
VI Certain documents cited						
VII Certain defects	Certain defects in the international application					
VIII Certain observations on the international application						
Date of submission of the demand	Da	te of completion	of this report			
05 NOVEMBER 1999 (05.11.1999)	05	JUNE 2000 (05.0	6.2000)			
Name and mailing address of the IPEA	UU3	thorized officer	1.00			
Commissioner of Patents and Tradem Box PCT	narks	Karen Clemens	M (WAY)			
Washington, D.C. 20231 Facsimile No. (703) 305-3230	Tel	lephone No. (703	308-0196			

Form PCT/IPEA/409 (cover sheet)(July 1998)



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

International acation No	
PCT/US99/07514	

I.	Basis of the report
1.	With regard to the elements of the international application: *
	the international application as originally filed.
	• the description:
	pages 1-10 as originally filed
	pages NONE , filed with the demand pages NONE , filed with the letter of
	the claims:
	pages 11 and 12 , as originally filed pages NONE , as amended (together with any statement) under Article 19
	pages NONE , as amended (together with any statement) are statement pages NONE , filed with the demand
	pages NONE , filed with the letter of
	the drawings:
	pages 1, as originally filed
	pages NONE filed with the demand
	pages NONE , filed with the letter of
	the sequence listing part of the description:
	nages NONE, as originally filed
	pages NONE , filed with the demand
_	pages NONE, filed with the letter of
2.	language in which the international application was filed, unless otherwise indicated under this item.
	These elements were available or furnished to this Authority in the following language which is:
	the language of a translation furnished for the purposes of international search (under Rule23.1(b)).
	the language of publication of the international application (under Rule 48.3(b)).
	the language of the translation furnished for the purposes of international preliminary examination(under Rules
	55.2 and/or 55.3).
3	With regard to any nucleotide and/or amino acid sequence disclosed in the international application, the
	international preliminary examination was carried out on the basis of the sequence listing:
	contained in the international application in printed form.
	filed together with the international application in computer readable form.
	furnished subsequently to this Authority in written form.
e.	furnished subsequently to this Authority in computer readable form.
	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the
	international application as filed has been furnished.
	The statement that the information recorded in computer readable form is identical to the written sequence listing
	has been furnished
4	The state of the consequence of
]	
	the description, pages NONE
	the claims, Nos. NONE
	the drawings, sheets/fig NONE
5	This report has been established as if (some of) the amendments had not been made, since they have been considered to go
	beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**
*	Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to it his report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).
1	his report as "originally filed" and are not annexed to this report since they do not contain annexed to this report. ** Any replacement sheet containing such amendments must be referred to under item 1 and annexed to this report.



INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Form PCT/IPEA/409 (Box V) (July 1998)

Internationa. Plication No.

PCT/US99/07514

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
1. STATEMENT					
Novelty (N)	Claims 1-7 Claims NONE	YES NO			
Inventive Step (IS)	Claims 1-7 Claims NONE	N 1 C N			
Industrial Applicability (IA)	Claims 1-7 Claims NONE	YES NO			
2. CITATIONS AND EXPLANATIONS (Rule Claims 1-7 meet the criteria set out in PCT Article 3: peptides or their use in treating symptoms of a person NONE	va (4) A server the prior art does not teach	or fairly suggest the specific cell loss.			







INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : A61K 38/00, 38/04, C07K 5/00	A1	(11) International Publication Number: WO 99/51254 (43) International Publication Date: 14 October 1999 (14.10.99)
(21) International Application Number: PCT/US (22) International Filing Date: 6 April 1999		(81) Designated States: AU, CA, JP, US, European patent (AT, BE CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC
(30) Priority Data: 60/080,836 6 April 1998 (06.04.98)	τ	Published With international search report.
(71) Applicant (for all designated States except US): AD IMMUNIT, INC. [US/US]; 25 East Loop Ros Brook, NY 11790 (US).	VANCE ad, Sto	
(72) Inventors; and (75) Inventors/Applicants (for US only): PERT, Candace 10319 Glen Road, Potomac, MD 20854 (US Michael [US/US]; 10319 Glen Road, Potomac, N (US).	S). RUF	,
(74) Agent: SAPONE, William, J.; Nims, Howes, Collisc & Lackert, 605 Third Avenue, New York, NY 10	on, Hans 0158 (U	1 .

(54) Title: SHORT PEPTIDES FOR TREATMENT OF NEUROLOGICAL DEGENERATIVE DISEASES

(57) Abstract

The HIV-1 envelope protein gpl20 is toxic to rodent and human neurons by indirect mechanisms requiring accessory glial cells. Chemokines are known to block gpl20 interactions with chemokine receptors on T cells, macrophages, and microglia, thereby preventing viral infection. Gpl20-induced neuronal killing in rat hippocampal cultures was partially or completely prevented by specific short peptides related to chemokines, specifically KEYFTS and LESYT. These peptides thus have use in the treatment of neurological degenerative diseases having symptoms associated with neuronal cell death.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

Singapore

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JР	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
cz	Czech Republic	I.C	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		

Sri Lanka Liberia

DK EE Denmark

Estonia



SHORT PEPTIDES FOR TREATMENT OF NEUROLOGICAL DEGENERATIVE DISEASES

TECHNICAL FIELD

This invention is directed to synthetically produced short peptide sequences which inhibit HIV-1 gpl20 induced neuronal cell death, for use in preventing neurological deterioration in patients suffering from AIDS as well as other neurological degenerative diseases.

BACKGROUND

Among the symptoms and conditions associated with HIV infection (AIDS) are specific neurological conditions which can be termed "neuro-AIDS".

Neuro-AIDS, whose incidence and severity appears to be increasing, can manifest itself in many forms including encephalopathies, neuropathies, memory loss, dementia, depression, psychosis and opportunistic infections. One explanation for AIDS associated neuropathologies, which can include infiltration of infected immune cells, white matter aberrations, reduced dendritic and axonal arborization, and neuronal loss is that dissociated HIV envelop protein, gpl20, which has been shown to be secreted abundantly by infected macrophages and is present in plasma and CSF, contributes to pathogenesis via receptor-mediated interactions with various shared cell surface receptors on brain and immune cells.

There is growing evidence that neurotoxicity and infectivity associated with HIV have distinctive attributes suggesting divergence of mechanism. In particular, HIV infection does not occur in rodents and does not require signaling, while the


1

biological activities associated with the envelope protein can be demonstrated in both human and rodent cells and requires signaling. The neurotoxic action of HIV-1 envelope protein gpl20 is potent and requires the presence of glial cells, which may then secrete neurotoxic products or cytokines. In rodents, intraventriculary administered gpl20 produces endocrine abnormalities.

The neuropeptide vasoactive intestinal peptide (VIP), as well as homologous short (5-8 residues) peptides derived from the gpl20 V2 region derived peptides (8-10) are inhibitors of gpl20 neurotoxicity. In neonatal rats, delayed behavioral milestones and abnormal neuronal dearborization produced by administration of nanogram quantities of gpl20 are also prevented by VIP (II) and gpl20 V2-region derived peptide T ("DAPTA"). In the same study, toxic fragments of gpl20 were recovered from treated animals, suggesting that some of the neural damage is attributable to proteolytic products of the HIV envelope.

Alzheimers' Disease or dementia is believed to be caused by the deterioration of the cholinergic neurons in the basal forebrain. VIP is co-localized with cholinergic neurons in the basal forebrain and is believed to maintain neuronal survival. In a proposed secondary phase of Alzheimers' disease, endogenous neurons of the cortex of various different chemical types degenerate following deprivation of their vasoactive intestinal polypeptide neuronal growth factor once contained in the cholinergic endings.

In U.S. Patent No. 5,567,682, short chain peptides, specifically peptide T and related analogs, are described for treating the symptoms of Alzheimers' disease by reducing or halting a loss of neurons. Similarly, these peptides are described as being useful in inhibiting HIV-1 binding to T4 cell receptors (U.S. Patent No. 5,276,016).



receptors, in conjunction with CD4, to allow viral entry of target cells. Moreover, various gpl20's can block binding of specific chemokine ligands with the CCR5 receptor. Chemokine receptors, first characterized on activated immune cells, have been shown to also be present on cerebellar neuronal processes, differentiated human neuronal lines, and both microglial cells and astrocytes in human brain cultures. Thus the inventors sought to identify novel short chemokine peptides which would be antagonists of apl20-mediated neurotoxicity and resultant neuronal degeneration and thereby provide therapeutic benefits in patients suffering from HIV infection, or other inflammatory neurological diseases such as multiple sclerosis, tropical spastic paraparesis, and Alzheimers, to cite some.

SUMMARY OF THE INVENTION

It is an object of the present invention to provide peptides and a method for treating diseases having symptoms caused by neuronal cell death caused by HIV, MS, Alzheimers' Disease, PML, and Tropical Spastic Paraparesis, among others.

It is another object to provide a pharmaceutical composition having a peptide as an active agent for reducing or inhibiting neuronal cell loss.

These and other objects of the present invention are achieved by a peptide of the formula

Leu-Glu-Ser-Tyr-Thr

or

Ile-Lys-Glu-Tyr-Phe-Thr-Ser

A method for treating the symptoms associated with neuronal cell death in a person caused by a neurological degenerative disease comprises administering a therapeutically effective amount of a peptide of the formula

or

Ile-Lys-Glu-Tyr-Phe-Thr-Ser

The invention comprises a peptide of the formula Leu-Glu-Ser-Tyr-Thr or Ile-Lys-Glu-Tyr-Phe-Thr-Ser or a physiologically acceptable salt thereof. A pharmaceutical composition comprising as an active ingredient at least one peptide of the formula Leu-Glu-Ser-Tyr-Thr or Ile-Lys-Glu-Tyr-Phe-Thr-Ser or a pharmaceutically acceptable salt thereof, for treating the symptoms caused by neuronal cell loss. The pharmaceutical composition can further comprise a pharmaceutically acceptable carrier.

The invention also includes a method for treating the symptoms caused by a loss of neurons comprising administering to a person suffering from a disease causing neuronal cell loss a therapeutically effective amount of a people of formula Leu-Glu-Ser-Tyr-Thr or Ile-Lys-Glu-Tyr-Phe-Thr-Ser or a pharmaceutically acceptable salt thereof. The method can comprise either the formula Leu-Glu-Ser-Tyr-Thr or Ile-Lys-Glu-Tyr-Phe-Thr-Ser. According to the method, the peptide is administered by oral, intranasal, buccal, parenteral, topical or rectal administration.

BRIEF DESCRIPTION OF THE DRAWINGS

Figure 1 shows neuronal cell survival with reference to peptide concentration.

DETAILED DESCRIPTION OF THE INVENTION

Materials: A gpl20 isolate RFII was obtained from Dr. P.Nara, NCI, NIH. All of the gpl20's are purified, >95% homogeneous and previously tested for neurotoxicity with cultured neurons and were used at lpM final concentration in cultures of neurons. Peptides of the formula Ile-Lys-Glu-Tyr-Phe-Thr-Ser, Ile-Lys-Glu-Tyr-Phe, and Leu-Glu-Ser-Tyr-Thr were obtained from Peninsula Labs, CA. and synthesized by solid-phase Merrifield methods and purified to greater than 95% homogeneity by two HPLC methods and structure confirmed by MASS Spectroscopy Analysis.

Neuronal cell culture: Dissociated hippocampal cultures are prepared from neonatal (day 2) rat cortex and hippocampus by known methods. Sterilely dissected brain tissue is minced and treated with 0.125% trypsin for 30 minutes then gently triturated with fire-polished Pasteur pipes and plated in six-well trays (35mm²) at low density (50,000 cells/35mm² dish) upon confluent layers of astrocytes in medium containing D-MEM, penicillin (25 U/ml), streptomycin (25 mg/ml), D-glucose (0.6%), and 10% heat-inactivated fetal calf serum (HyClone Laboratories), supplemented with insulin, transferrin, selenium, corticosterone, and triiodothyronine. Medium is changed after 3 days. At 6 days, half the medium is exchanged for fresh medium. The astrocyte feeder layers were prepared from the cortexes of neonatal rats following dissection and trituration. Plating was 2.5 X10² cells per well. Feeder layers were grown in Eagles's minimal essential medium (Formula No. 82-0234DJ, Gibco) with 10% fetal calf serum until confluent (7-14 days). With this medium the feeder cultures were free of neurons and consisted of flat cells that were stained by antibodies to glial fibrillary acidic protein, a standard immunocytochemical marker for astroglia. When hippocampal or cortical

WO 99/51254 PCT/US99/07514

cells were added to the confluent feeder layer, the medium was changed to the following composition: 5% horse serum and MEM supplement with defined medium components. The hippocampal or cortical cultures were treated with 5'-fluoro-2'-deoxyuridine (I5ug/ml plus uridine, 35ug/ml) to suppress the overgrowth of background cells and allow the establishment of neurons. The neurons in these cultures are post-mitotic. The neuronal cultures were allowed to grow for 1 week prior to the beginning of the experimental period. Before treating the cultures, a complete change of medium was given.

Neuronal survival assay: GP120's, with or without added peptides, were diluted in phosphate buffered saline and added to the cultures, which were treated only once for a four day period. At termination, cultures were fixed with glutaraldehyde as previously described. At the end of the test period, neuronal survival was assessed by immunohistochemical detection of neuron-specific enolase positive cells (neurons). Cultures were counted in a blinded fashion without knowledge of sample treatment in 40 fields at pre-determined coordinate locations. The total area counted is 50 mm². Each value reported is the mean ± the standard error of 3-4 determinations. Control (saline treated) wells from these cultures have 395 ± 20 neurons. Statistical comparisons between experimental and control culture neuronal cell counts are via analysis of variance with the Student-Newman-Kuels multiple comparison of means test.

Results

Effects of Short Chemokine Derived Peptides on GPI20-Mediated Neurotoxicity

When the peptides were added to primary cultures of mixed rat neurons/glia, together with 1 pM gpl20 (RF isolate), which by itself killed about half of the neurons in the dish (Fig. 1), neuronal death could be inhibited. In a dose-dependent fashion, significant increases in cell counts were observed from cultures treated with gp120 alone, with IKEYFTS and LESYT preventing neuronal loss caused by gpl20. The peptide IKEYFTS had an EC50 of IOO nM and was fully protective at IOuM, while LESYT was partially protective at IOuM. Specificity is shown in that the shorter pentapeptide IKEYF was inactive. The dotted line in Figure 1 represents the mean number of neurons in control cultures.

The peptides also supported the viability of neurons in the absence of added gpl20 and thus acted as survival factors. The results thereby identify novel, short chemokine related peptides which have significant neuroprotective activity against gpl20 neurotoxicity as well as promote neuronal survival and which therefore may be treatments for AIDS and other neurodegenerative diseases which includes, but is not limited to conditions like Alzheimers, multiple sclerosis, tropical paraparesis, PML and neuropathies of various etiologies including diseases resulting from or relating to HTLV-1 infection, to cite some examples.

The peptides may be administered in suitable carriers by various routes including oral, buccal, iv, rectal, nasal, with effective doses from 0.01 mg to 1000 mgs per day, preferably from 0.2 to 10 mg per day for a 70 kg person.

The active compounds of the invention may exist as physiologically

acceptable salts of the peptides.

The compounds of the invention may be beneficially modified by methods known to enhance passage of molecules across the blood-brain barrier. Acetylation has proven to be especially useful for enhancing binding activity of the peptide. The terminal amino and carboxy sites are particularly preferred sites for modification.

The peptides of this invention may also be modified in a constraining conformation to provide improved stability and oral availability.

Unless otherwise indicated the amino acids are, of course, the natural form of L-stereoisomers.

The peptides that are to be administered intranasally in accordance with the invention may be produced by conventional methods of peptide synthesis. Both solid phase and liquid phase methods, as well as other methods e.g., enzymatic methods, may be used. We have found the solid phase method of Merrifield to be particularly convenient. In this process the peptide is synthesized in a stepwise manner while the carboxy end of the chain is covalently attached to an insoluble support. During the intermediate synthetic stages the peptide remains in the solid phase and therefore can conveniently manipulated. The solid support is a chloromethylated styrene-divinylbenzene copolymer.

As an aspect of the invention, therefore, we provide a pharmaceutical compositions comprising a peptide compound of the invention in association with pharmaceutically acceptable carrier or excipient, adapted for use in human or veterinary medicine. Such compositions may be presented for use in a conventional manner in admixture with one or more physiologically acceptable carriers of

excipient. The compositions may optionally further contain one or more other therapeutic agents which may, if desired, be a different antiviral agent.

Thus, the peptides according to the invention may be formulated for oral, intranasal, buccal, parenteral, topical or rectal administration.

In particular, the peptides according to the invention may be formulated for injection or for infusion and may be presented in unit dose form in ampoules or in multidose containers with an added preservative. The compositions may take such forms as suspensions, solutions, or emulsions in oily or aqueous vehicles, and may contain formulatory agents such as suspending, stabilizing and/or dispersing agents. Alternatively, the active ingredient may be in powder form for constitution with a suitable vehicle, e.g., sterile, pyrogen-free water, before use. In a particularly preferred embodiment, the active ingredient may be administered intranasally, preferably in more than one daily application.

The pharmaceutical compositions according to the invention may also contain other active ingredients such as antimicrobial agents, or preservatives.

A further aspect of this invention relates to vaccine preparations containing a peptide according to the invention, to provide protection against viral infection. The vaccine will contain an effective immunogenic amount of peptide, e.g. $1\mu g$ to 20 mg/kg of host, optionally conjugated to a protein such as human serum albumin, in a suitable vehicle, e.g. sterile water, saline or buffered saline. Adjuvants may be employed, such as aluminum hydroxide gel. Administration may be by injection, e.g. intramuscularly, interperitoneally, subcutaneously or intravenously. Administration may take place once or at a plurality of times, e.g. at 1-4 week intervals.

WO 99/51254 PCT/US99/07514

Antigenic sequences from crab as well as proteins from other invertebrates can also be added to the peptides of the invention to promote antigenicity.

IN THE CLAIMS

Claim 1. A peptide of the formula

Leu-Glu-Ser-Tyr-Thr

or

Ile-Lys-Glu-Tyr-Phe-Thr-Ser

or a physiologically acceptable salt thereof.

Claim 2. A pharmaceutical composition comprising as an active ingredient at least one peptide of the formula

Leu-Glu-Ser-Tyr-Thr

or

Ile-Lys-Glu-Tyr-Phe-Thr-Ser

or a pharmaceutically acceptable salt thereof, for treating the symptoms caused by neuronal cell loss.

- Claim 3. The pharmaceutical composition of claim 2 further comprising a pharmaceutically acceptable carrier.
- Claim 4. A method for treating the symptoms caused by a loss of neurons comprising administering to a person suffering from a disease causing neuronal cell loss a therapeutically effective amount of a people of formula


Leu-Glu-Ser-Tyr-Thr

or IIe-Lys-Glu-Tyr-Phe-Thr-Ser



or a pharmaceutically acceptable salt thereof.

- Claim 5. The method of claim 4 wherein the formula is Leu-Glu-Ser-Tyr-Thr.
- Claim 6. There method of claim 4 wherein the formula is Ile-Lys-Glu-Tyr-Phe-Thr-Ser.
- Claim 7. The method of claim 4, wherein the peptide is administered by oral, intranasal, buccal, parenteral, topical or rectal administration.



SUBSTITUTE SHEET (RULE 26)



			1		
A. CLASSIFICATION OF SUBJECT MATTER 1PC(6) :A61K 38/00, 38/04; C07K 5/00 US CL : 514/16, 17; 530/329, 330					
	to International Patent Classification (IPC) or to both	national Cia	issilication and IPC		
	ocumentation searched (classification system followe	d by classif	ication symbols)		
U.S . :	514/16, 17; 530/329, 330				
Documental	tion searched other than minimum documentation to the	e extent that	such documents are included	in the fields searched	
	lata base consulted during the international search (no. S Registry, search terms: neuron?, cell and (loss or o		•		
C. DOC	CUMENTS CONSIDERED TO BE RELEVANT				
Category*	Citation of document, with indication, where ap	opropriate, o	f the relevant passages	Relevant to claim No.	
Y	US 5,276,016 A (PERT et al.) 04 Jan	1-7			
Y	US 5,567,682 A (PERT) 22 October 1996, col. 2, line 6.			1-7	
Furth	ner documents are listed in the continuation of Box C		See patent family annex.		
•	ecial categories of cited documents:		ater document published after the inte		
	cument defining the general state of the art which is not considered be of particular relevance	t	the principle or theory underlying the		
	rlier document published on or after the international filing date		document of particular relevance; the considered novel or cannot be considered.		
cit	cument which may throw doubts on priority claim(s) or which is ad to establish the publication date of another citation or other		when the document is taken alone document of particular relevance, the	claimed invention cannot be	
•	scial reason (as specified) cument referring to an oral disclosure, use, exhibition or other		considered to involve an inventive combined with one or more other such	step when the document us	
P do	eans cument published prior to the international filing date but later than		being obvious to a person skilled in t document member of the same patent		
	actual completion of the international search	Date of m	ailing of the international sea	rch report	
03 JUNE 1999 14 JU				·	
Name and mailing address of the ISA/US Commissioner of Patents and Trademarks Box PCT Authorized officer Authorized officer FARIAN IAMFISON					
Commissioner of Patents and Trademarks Box PCT Washington, D.C. 20231 FABIAN JAMEISON					
Facsimile N		Telephone	No. (703) 308-0196		